

Model: D-6

10,000 Gallon Tanks (10 Ft. Diameter)

(Actual Capacity 9,986)

Dipstick	Gallons	Dipstick	Gallons	Dipstick	Gallons	Dipstick	Gallons	Dipstick	Gallons
1/4"	4	16 1/4"	709	32 1/4"	2040	48 1/4"	3708	64 1/4"	5510
1/2"	6	16 1/2"	726	32 1/2"	2065	48 1/2"	3736	64 1/2"	5539
3/4"	9	16 3/4"	743	32 3/4"	2089	48 3/4"	3764	64 3/4"	5567
1"	13	17"	761	33"	2113	49"	3791	65"	5585
1 1/4"	17	17 1/4"	778	33 1/4"	2137	49 1/4"	3819	65 1/4"	5623
1 1/2"	22	17 1/2"	796	33 1/2"	2162	49 1/2"	3847	65 1/2"	5651
1 3/4"	27	17 3/4"	813	33 3/4"	2186	49 3/4"	3875	65 3/4"	5680
2"	32	18"	831	34"	2210	50"	3902	66"	5708
2 1/4"	37	18 1/4"	849	34 1/4"	2235	50 1/4"	3930	66 1/4"	5736
2 1/2"	43	18 1/2"	867	34 1/2"	2260	50 1/2"	3958	66 1/2"	5764
2 3/4"	49	18 3/4"	886	34 3/4"	2284	50 3/4"	3986	66 3/4"	5792
3"	56	19"	904	35"	2309	51"	4014	67"	5820
3 1/4"	62	19 1/4"	923	35 1/4"	2334	51 1/4"	4042	67 1/4"	5848
3 1/2"	69	19 1/2"	941	35 1/2"	2359	51 1/2"	4070	67 1/2"	5876
3 3/4"	77	19 3/4"	960	35 3/4"	2384	51 3/4"	4098	67 3/4"	5904
4"	84	20"	979	36"	2409	52"	4126	68"	5932
4 1/4"	92	20 1/4"	998	36 1/4"	2434	52 1/4"	4154	68 1/4"	5960
4 1/2"	100	20 1/2"	1017	36 1/2"	2460	52 1/2"	4182	68 1/2"	5988
4 3/4"	108	20 3/4"	1036	36 3/4"	2485	52 3/4"	4210	68 3/4"	6016
5"	117	21"	1056	37"	2510	53"	4238	69"	6044
5 1/4"	126	21 1/4"	1075	37 1/4"	2536	53 1/4"	4266	69 1/4"	6071
5 1/2"	135	21 1/2"	1095	37 1/2"	2561	53 1/2"	4294	69 1/2"	6099
5 3/4"	144	21 3/4"	1115	37 3/4"	2587	53 3/4"	4322	69 3/4"	6127
6"	154	22"	1134	38"	2612	54"	4350	70"	6155
6 1/4"	163	22 1/4"	1154	38 1/4"	2638	54 1/4"	4379	70 1/4"	6183
6 1/2"	173	22 1/2"	1175	38 1/2"	2664	54 1/2"	4407	70 1/2"	6210
6 3/4"	184	22 3/4"	1195	38 3/4"	2690	54 3/4"	4435	70 3/4"	6238
7"	194	23"	1215	39"	2715	55"	4463	71"	6266
7 1/4"	205	23 1/4"	1236	39 1/4"	2741	55 1/4"	4491	71 1/4"	6293
7 1/2"	215	23 1/2"	1256	39 1/2"	2767	55 1/2"	4520	71 1/2"	6321
7 3/4"	226	23 3/4"	1277	39 3/4"	2793	55 3/4"	4548	71 3/4"	6348
8"	238	24"	1298	40"	2820	56"	4576	72"	6376
8 1/4"	249	24 1/4"	1319	40 1/4"	2846	56 1/4"	4604	72 1/4"	6403
8 1/2"	261	24 1/2"	1340	40 1/2"	2872	56 1/2"	4633	72 1/2"	6431
8 3/4"	273	24 3/4"	1361	40 3/4"	2899	56 3/4"	4661	72 3/4"	6458
9"	285	25"	1382	41"	2925	57"	4689	73"	6485
9 1/4"	297	25 1/4"	1403	41 1/4"	2951	57 1/4"	4718	73 1/4"	6513
9 1/2"	309	25 1/2"	1425	41 1/2"	2977	57 1/2"	4746	73 1/2"	6540
9 3/4"	322	25 3/4"	1446	41 3/4"	3004	57 3/4"	4774	73 3/4"	6567
10"	335	26"	1468	42"	3030	58"	4803	74"	6594
10 1/4"	348	26 1/4"	1490	42 1/4"	3057	58 1/4"	4831	74 1/4"	6622
10 1/2"	361	26 1/2"	1512	42 1/2"	3084	58 1/2"	4859	74 1/2"	6649
10 3/4"	374	26 3/4"	1534	42 3/4"	3110	58 3/4"	4888	74 3/4"	6676
11"	388	27"	1556	43"	3137	59"	4916	75"	6703
11 1/4"	401	27 1/4"	1578	43 1/4"	3164	59 1/4"	4944	75 1/4"	6730
11 1/2"	415	27 1/2"	1600	43 1/2"	3191	59 1/2"	4973	75 1/2"	6757
11 3/4"	429	27 3/4"	1622	43 3/4"	3218	59 3/4"	5001	75 3/4"	6784
12"	443	28"	1645	44"	3244	60"	5029	76"	6811
12 1/4"	458	28 1/4"	1667	44 1/4"	3271	60 1/4"	5058	76 1/4"	6837
12 1/2"	472	28 1/2"	1690	44 1/2"	3299	60 1/2"	5086	76 1/2"	6864
12 3/4"	487	28 3/4"	1713	44 3/4"	3326	60 3/4"	5114	76 3/4"	6891
13"	502	29"	1736	45"	3353	61"	5143	77"	6918
13 1/4"	517	29 1/4"	1759	45 1/4"	3380	61 1/4"	5171	77 1/4"	6944
13 1/2"	532	29 1/2"	1782	45 1/2"	3407	61 1/2"	5199	77 1/2"	6971
13 3/4"	547	29 3/4"	1805	45 3/4"	3434	61 3/4"	5228	77 3/4"	6997
14"	563	30"	1828	46"	3461	62"	5256	78"	7024
14 1/4"	579	30 1/4"	1851	46 1/4"	3489	62 1/4"	5284	78 1/4"	7050
14 1/2"	594	30 1/2"	1875	46 1/2"	3516	62 1/2"	5313	78 1/2"	7076
14 3/4"	610	30 3/4"	1898	46 3/4"	3543	62 3/4"	5341	78 3/4"	7103
15"	626	31"	1922	47"	3571	63"	5369	79"	7129
15 1/4"	643	31 1/4"	1945	47 1/4"	3598	63 1/4"	5397	79 1/4"	7155
15 1/2"	659	31 1/2"	1969	47 1/2"	3626	63 1/2"	5426	79 1/2"	7181
15 3/4"	676	31 3/4"	1993	47 3/4"	3653	63 3/4"	5454	79 3/4"	7207
16"	692	32"	2017	48"	3681	64"	5482	80"	7233

**Fiberglas® Tanks
for Fuel Storage**

Calibration Chart*

How to properly gauge your tank:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

1. Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
2. Always gauge your tank at the fill port. A tank bottom protector plate has been installed under this port to help protect the tank.
3. *Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.*
4. Remove your dipstick slowly and read the product level directly from the gauge stick.



*Calibration for Level Tanks Only

Model: D-6 10,000 Gallon Tanks (10 Ft. Diameter)

(Actual Capacity 9,986)

Dipstick	Gallons	Dipstick	Gallons	Dipstick	Gallons
80 1/4"	7259	96 1/4"	8762	112 1/4"	9788
80 1/2"	7285	96 1/2"	8783	112 1/2"	9799
80 3/4"	7311	96 3/4"	8803	112 3/4"	9809
"	7337	97"	8823	113"	9819
81 1/4"	7363	97 1/4"	8843	113 1/4"	9829
81 1/2"	7388	97 1/2"	8863	113 1/2"	9839
81 3/4"	7414	97 3/4"	8883	113 3/4"	9848
82"	7439	98"	8903	114"	9857
82 1/2"	7465	98 1/2"	8922	114 1/2"	9866
82 3/4"	7490	98 3/4"	8942	114 3/4"	9875
83"	7516	99"	8961	115"	9884
83 1/4"	7541	99 1/4"	8980	115 1/4"	9892
83 1/2"	7566	99 1/2"	8999	115 1/2"	9900
83 3/4"	7591	99 3/4"	9018	115 3/4"	9907
84"	7616	100"	9037	116"	9915
84 1/4"	7641	100 1/4"	9056	116 1/4"	9922
84 1/2"	7666	100 1/2"	9075	116 1/2"	9929
84 3/4"	7691	100 3/4"	9093	116 3/4"	9935
85"	7716	101"	9111	117"	9942
85 1/4"	7741	101 1/4"	9130	117 1/4"	9948
85 1/2"	7765	101 1/2"	9148	117 1/2"	9953
85 3/4"	7790	101 3/4"	9165	117 3/4"	9959
86"	7814	102"	9183	118"	9964
86 1/4"	7838	102 1/4"	9201	118 1/4"	9969
86 1/2"	7863	102 1/2"	9218	118 1/2"	9973
86 3/4"	7887	102 3/4"	9236	118 3/4"	9977
87"	7911	103"	9253	119"	9980
87 1/4"	7935	103 1/4"	9270	119 1/4"	9983
87 1/2"	7959	103 1/2"	9287	119 1/2"	9985
87 3/4"	7983	103 3/4"	9304		9986
88"	8007	104"	9320		
88 1/4"	8031	104 1/4"	9337		
88 1/2"	8054	104 1/2"	9353		
88 3/4"	8078	104 3/4"	9369		
89"	8102	105"	9385		
89 1/4"	8125	105 1/4"	9401		
89 1/2"	8148	105 1/2"	9417		
89 3/4"	8172	105 3/4"	9433		
90"	8195	106"	9448		
90 1/4"	8218	106 1/4"	9463		
90 1/2"	8241	106 1/2"	9479		
90 3/4"	8264	106 3/4"	9493		
91"	8286	107"	9508		
91 1/4"	8309	107 1/4"	9523		
91 1/2"	8332	107 1/2"	9537		
91 3/4"	8354	107 3/4"	9552		
92"	8377	108"	9566		
92 1/4"	8399	108 1/4"	9580		
92 1/2"	8421	108 1/2"	9593		
92 3/4"	8443	108 3/4"	9607		
93"	8465	109"	9620		
93 1/4"	8487	109 1/4"	9634		
93 1/2"	8509	109 1/2"	9647		
93 3/4"	8531	109 3/4"	9660		
94"	8552	110"	9672		
94 1/4"	8574	110 1/4"	9685		
94 1/2"	8595	110 1/2"	9697		
94 3/4"	8616	110 3/4"	9709		
95"	8638	111"	9721		
95 1/4"	8659	111 1/4"	9733		
95 1/2"	8680	111 1/2"	9744		
95 3/4"	8701	111 3/4"	9756		
96"	8721	112"	9767		
	8742		9778		



OWENS-CORNING WORLD HEADQUARTERS
 FIBERGLAS TOWER
 TOI P.O. OHIO 43659