

Model: DWT-Type II
10,000 Gallon Tank (10 Ft. Diameter) (Actual Capacity 10,257)

Dipstick	Gallons	Dipstick	Gallons	Dipstick	Gallons	Dipstick	Gallons	Dipstick	Gallons
1/8"	2	8 1/8"	249	16 1/8"	719	24 1/8"	1342	32 1/8"	2081
1/4"	3	8 1/4"	255	16 1/4"	727	24 1/4"	1353	32 1/4"	2093
3/8"	4	8 3/8"	261	16 3/8"	736	24 3/8"	1364	32 3/8"	2106
1/2"	6	8 1/2"	267	16 1/2"	745	24 1/2"	1374	32 1/2"	2118
5/8"	7	8 5/8"	273	16 5/8"	754	24 5/8"	1385	32 5/8"	2130
3/4"	9	8 3/4"	279	16 3/4"	762	24 3/4"	1396	32 3/4"	2143
7/8"	11	8 7/8"	285	16 7/8"	771	24 7/8"	1407	32 7/8"	2155
1"	13	9"	291	17"	780	25"	1418	33"	2168
1 1/8"	15	9 1/8"	297	17 1/8"	789	25 1/8"	1429	33 1/8"	2180
1 1/4"	17	9 1/4"	304	17 1/4"	798	25 1/4"	1440	33 1/4"	2193
1 3/8"	19	9 3/8"	310	17 3/8"	807	25 3/8"	1451	33 3/8"	2205
1 1/2"	21	9 1/2"	316	17 1/2"	816	25 1/2"	1462	33 1/2"	2218
1 5/8"	24	9 5/8"	323	17 5/8"	825	25 5/8"	1473	33 5/8"	2230
1 3/4"	26	9 3/4"	329	17 3/4"	834	25 3/4"	1484	33 3/4"	2243
1 7/8"	29	9 7/8"	336	17 7/8"	843	25 7/8"	1495	33 7/8"	2255
2"	32	10"	343	18"	853	26"	1506	34"	2268
2 1/8"	34	10 1/8"	349	18 1/8"	862	26 1/8"	1517	34 1/8"	2280
2 1/4"	37	10 1/4"	356	18 1/4"	871	26 1/4"	1528	34 1/4"	2293
2 3/8"	40	10 3/8"	363	18 3/8"	880	26 3/8"	1540	34 3/8"	2306
2 1/2"	43	10 1/2"	369	18 1/2"	890	26 1/2"	1551	34 1/2"	2318
2 5/8"	46	10 5/8"	376	18 5/8"	899	26 5/8"	1562	34 5/8"	2330
2 3/4"	49	10 3/4"	383	18 3/4"	908	26 3/4"	1573	34 3/4"	2343
2 7/8"	53	10 7/8"	390	18 7/8"	918	26 7/8"	1585	34 7/8"	2355
3"	56	11"	397	19"	927	27"	1596	35"	2368
3 1/8"	59	11 1/8"	404	19 1/8"	937	27 1/8"	1607	35 1/8"	2380
3 1/4"	63	11 1/4"	411	19 1/4"	946	27 1/4"	1619	35 1/4"	2393
3 3/8"	67	11 3/8"	418	19 3/8"	956	27 3/8"	1630	35 3/8"	2405
3 1/2"	70	11 1/2"	425	19 1/2"	965	27 1/2"	1642	35 1/2"	2418
3 5/8"	74	11 5/8"	432	19 5/8"	975	27 5/8"	1653	35 5/8"	2430
3 3/4"	78	11 3/4"	440	19 3/4"	985	27 3/4"	1665	35 3/4"	2443
3 7/8"	81	11 7/8"	447	19 7/8"	994	27 7/8"	1676	35 7/8"	2455
4"	85	12"	454	20"	1004	28"	1688	36"	2468
4 1/8"	89	12 1/8"	462	20 1/8"	1014	28 1/8"	1699	36 1/8"	2480
4 1/4"	93	12 1/4"	469	20 1/4"	1024	28 1/4"	1711	36 1/4"	2493
4 3/8"	96	12 3/8"	476	20 3/8"	1033	28 3/8"	1722	36 3/8"	2505
4 1/2"	102	12 1/2"	484	20 1/2"	1043	28 1/2"	1734	36 1/2"	2518
4 5/8"	106	12 5/8"	491	20 5/8"	1053	28 5/8"	1746	36 5/8"	2530
4 3/4"	110	12 3/4"	499	20 3/4"	1063	28 3/4"	1757	36 3/4"	2543
4 7/8"	115	12 7/8"	507	20 7/8"	1073	28 7/8"	1769	36 7/8"	2555
5"	119	13"	514	21"	1083	29"	1781	37"	2568
5 1/8"	124	13 1/8"	522	21 1/8"	1093	29 1/8"	1792	37 1/8"	2580
5 1/4"	128	13 1/4"	530	21 1/4"	1103	29 1/4"	1804	37 1/4"	2601
5 3/8"	133	13 3/8"	537	21 3/8"	1113	29 3/8"	1816	37 3/8"	2614
5 1/2"	137	13 1/2"	545	21 1/2"	1123	29 1/2"	1828	37 1/2"	2627
5 5/8"	142	13 5/8"	553	21 5/8"	1133	29 5/8"	1840	37 5/8"	2640
5 3/4"	147	13 3/4"	561	21 3/4"	1143	29 3/4"	1852	37 3/4"	2654
5 7/8"	152	13 7/8"	569	21 7/8"	1154	29 7/8"	1863	37 7/8"	2667
6"	157	14"	577	22"	1164	30"	1875	38"	2680
6 1/8"	162	14 1/8"	585	22 1/8"	1174	30 1/8"	1887	38 1/8"	2693
6 1/4"	167	14 1/4"	593	22 1/4"	1184	30 1/4"	1899	38 1/4"	2706
6 3/8"	172	14 3/8"	601	22 3/8"	1195	30 3/8"	1911	38 3/8"	2718
6 1/2"	177	14 1/2"	609	22 1/2"	1205	30 1/2"	1923	38 1/2"	2730
6 5/8"	182	14 5/8"	618	22 5/8"	1215	30 5/8"	1935	38 5/8"	2743
6 3/4"	187	14 3/4"	626	22 3/4"	1226	30 3/4"	1947	38 3/4"	2755
6 7/8"	193	14 7/8"	634	22 7/8"	1236	30 7/8"	1959	38 7/8"	2768
7"	198	15"	642	23"	1247	31"	1971	39"	2780
7 1/8"	204	15 1/8"	651	23 1/8"	1257	31 1/8"	1983	39 1/8"	2793
7 1/4"	209	15 1/4"	659	23 1/4"	1268	31 1/4"	1996	39 1/4"	2812
7 3/8"	215	15 3/8"	667	23 3/8"	1278	31 3/8"	2008	39 3/8"	2825
7 1/2"	220	15 1/2"	676	23 1/2"	1289	31 1/2"	2020	39 1/2"	2839
7 5/8"	226	15 5/8"	684	23 5/8"	1299	31 5/8"	2032	39 5/8"	2852
7 3/4"	231	15 3/4"	693	23 3/4"	1310	31 3/4"	2044	39 3/4"	2866
7 7/8"	237	15 7/8"	701	23 7/8"	1321	31 7/8"	2057	39 7/8"	2879
8"	243	16"	710	24"	1331	32"	2069	40"	2892

Fiberglass® Tanks
for Fuel Storage

Calibration Chart*

How to properly gauge your tank:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

1. Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
2. Always gauge your tank at the fill port. A tank bottom protector plate has been installed under this port to help protect the tank.
3. Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
4. Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

WATER FINDER
 #7686-1870
 DAYCONATIONAL
 Dayton, OH
 (513) 226-5879

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overflow shut-off equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

For model DWT-Type II double-wall tanks only, the annular space capacity for this tank is 167 gallons.



*Calibration for Level Tanks Only

Model: DWT-Type II 10,000 Gallon Tank (10 Ft. Diameter)

(Actual Capacity 10,257)

Dipstick	Gallons	Dipstick	Gallons	Dipstick	Gallons	Dipstick	Gallons	Dipstick	Gallons	Dipstick	Gallons	Dipstick	Gallons
40 1/8"	2906	48 1/8"	3789	56 1/8"	4708	64 1/8"	5636	72 1/8"	6552	80 1/8"	7432	88 1/8"	8249
40 1/4"	2919	48 1/4"	3804	56 1/4"	4722	64 1/4"	5651	72 1/4"	6566	80 1/4"	7445	88 1/4"	8261
40 3/8"	2933	48 3/8"	3818	56 3/8"	4737	64 3/8"	5665	72 3/8"	6581	80 3/8"	7458	88 3/8"	8274
40 1/2"	2946	48 1/2"	3832	56 1/2"	4751	64 1/2"	5680	72 1/2"	6595	80 1/2"	7472	88 1/2"	8286
40 5/8"	2959	48 5/8"	3846	56 5/8"	4766	64 5/8"	5694	72 5/8"	6609	80 5/8"	7485	88 5/8"	8298
40 3/4"	2973	48 3/4"	3860	56 3/4"	4780	64 3/4"	5709	72 3/4"	6623	80 3/4"	7498	88 3/4"	8310
40 7/8"	2986	48 7/8"	3874	56 7/8"	4795	64 7/8"	5723	72 7/8"	6637	80 7/8"	7511	88 7/8"	8322
41"	3000	49"	3889	57"	4809	65"	5738	73"	6651	81"	7525	89"	8334
41 1/8"	3013	49 1/8"	3903	57 1/8"	4824	65 1/8"	5752	73 1/8"	6665	81 1/8"	7538	89 1/8"	8346
41 1/4"	3027	49 1/4"	3917	57 1/4"	4838	65 1/4"	5767	73 1/4"	6679	81 1/4"	7551	89 1/4"	8358
41 3/8"	3041	49 3/8"	3931	57 3/8"	4853	65 3/8"	5781	73 3/8"	6693	81 3/8"	7564	89 3/8"	8370
41 1/2"	3054	49 1/2"	3945	57 1/2"	4867	65 1/2"	5795	73 1/2"	6707	81 1/2"	7577	89 1/2"	8382
41 5/8"	3068	49 5/8"	3960	57 5/8"	4882	65 5/8"	5810	73 5/8"	6721	81 5/8"	7590	89 5/8"	8394
41 3/4"	3081	49 3/4"	3974	57 3/4"	4896	65 3/4"	5824	73 3/4"	6735	81 3/4"	7604	89 3/4"	8406
41 7/8"	3095	49 7/8"	3988	57 7/8"	4911	65 7/8"	5839	73 7/8"	6749	81 7/8"	7617	89 7/8"	8417
42"	3108	50"	4002	58"	4925	66"	5853	74"	6763	82"	7630	90"	8429
42 1/8"	3122	50 1/8"	4017	58 1/8"	4940	66 1/8"	5868	74 1/8"	6777	82 1/8"	7643	90 1/8"	8441
42 1/4"	3136	50 1/4"	4031	58 1/4"	4954	66 1/4"	5882	74 1/4"	6791	82 1/4"	7656	90 1/4"	8453
42 3/8"	3149	50 3/8"	4045	58 3/8"	4969	66 3/8"	5896	74 3/8"	6804	82 3/8"	7669	90 3/8"	8465
42 1/2"	3163	50 1/2"	4059	58 1/2"	4983	66 1/2"	5911	74 1/2"	6818	82 1/2"	7682	90 1/2"	8476
42 5/8"	3177	50 5/8"	4074	58 5/8"	4998	66 5/8"	5925	74 5/8"	6832	82 5/8"	7695	90 5/8"	8488
42 3/4"	3190	50 3/4"	4088	58 3/4"	5012	66 3/4"	5940	74 3/4"	6846	82 3/4"	7708	90 3/4"	8500
42 7/8"	3204	50 7/8"	4102	58 7/8"	5027	66 7/8"	5954	74 7/8"	6860	82 7/8"	7721	90 7/8"	8511
43"	3218	51"	4117	59"	5041	67"	5968	75"	6874	83"	7734	91"	8523
43 1/8"	3231	51 1/8"	4131	59 1/8"	5056	67 1/8"	5983	75 1/8"	6888	83 1/8"	7747	91 1/8"	8535
43 1/4"	3245	51 1/4"	4145	59 1/4"	5070	67 1/4"	5997	75 1/4"	6902	83 1/4"	7760	91 1/4"	8546
43 3/8"	3259	51 3/8"	4160	59 3/8"	5085	67 3/8"	6011	75 3/8"	6915	83 3/8"	7773	91 3/8"	8558
43 1/2"	3273	51 1/2"	4174	59 1/2"	5099	67 1/2"	6026	75 1/2"	6929	83 1/2"	7786	91 1/2"	8569
43 5/8"	3287	51 5/8"	4188	59 5/8"	5114	67 5/8"	6040	75 5/8"	6943	83 5/8"	7798	91 5/8"	8581
43 3/4"	3300	51 3/4"	4203	59 3/4"	5129	67 3/4"	6054	75 3/4"	6957	83 3/4"	7811	91 3/4"	8593
43 7/8"	3314	51 7/8"	4217	59 7/8"	5143	67 7/8"	6069	75 7/8"	6971	83 7/8"	7824	91 7/8"	8604
44"	3328	52"	4231	60"	5158	68"	6083	76"	6984	84"	7837	92"	8615
44 1/8"	3342	52 1/8"	4246	60 1/8"	5172	68 1/8"	6097	76 1/8"	6998	84 1/8"	7850	92 1/8"	8627
44 1/4"	3356	52 1/4"	4260	60 1/4"	5187	68 1/4"	6112	76 1/4"	7012	84 1/4"	7863	92 1/4"	8638
44 3/8"	3369	52 3/8"	4274	60 3/8"	5201	68 3/8"	6126	76 3/8"	7026	84 3/8"	7875	92 3/8"	8650
44 1/2"	3383	52 1/2"	4289	60 1/2"	5216	68 1/2"	6140	76 1/2"	7039	84 1/2"	7888	92 1/2"	8661
44 5/8"	3397	52 5/8"	4303	60 5/8"	5230	68 5/8"	6155	76 5/8"	7053	84 5/8"	7901	92 5/8"	8672
44 3/4"	3411	52 3/4"	4318	60 3/4"	5245	68 3/4"	6169	76 3/4"	7067	84 3/4"	7914	92 3/4"	8684
44 7/8"	3425	52 7/8"	4332	60 7/8"	5259	68 7/8"	6183	76 7/8"	7080	84 7/8"	7926	92 7/8"	8695
45"	3439	53"	4346	61"	5274	69"	6196	77"	7094	85"	7939	93"	8706
45 1/8"	3453	53 1/8"	4361	61 1/8"	5288	69 1/8"	6212	77 1/8"	7108	85 1/8"	7952	93 1/8"	8717
45 1/4"	3467	53 1/4"	4375	61 1/4"	5303	69 1/4"	6226	77 1/4"	7121	85 1/4"	7964	93 1/4"	8729
45 3/8"	3481	53 3/8"	4390	61 3/8"	5317	69 3/8"	6240	77 3/8"	7135	85 3/8"	7977	93 3/8"	8740
45 1/2"	3494	53 1/2"	4404	61 1/2"	5332	69 1/2"	6255	77 1/2"	7149	85 1/2"	7989	93 1/2"	8751
45 5/8"	3508	53 5/8"	4418	61 5/8"	5346	69 5/8"	6269	77 5/8"	7162	85 5/8"	8002	93 5/8"	8762
45 3/4"	3522	53 3/4"	4433	61 3/4"	5361	69 3/4"	6283	77 3/4"	7176	85 3/4"	8015	93 3/4"	8773
45 7/8"	3536	53 7/8"	4447	61 7/8"	5375	69 7/8"	6297	77 7/8"	7189	85 7/8"	8027	93 7/8"	8784
46"	3550	54"	4462	62"	5390	70"	6312	78"	7203	86"	8040	94"	8795
46 1/8"	3564	54 1/8"	4476	62 1/8"	5404	70 1/8"	6326	78 1/8"	7217	86 1/8"	8052	94 1/8"	8806
46 1/4"	3578	54 1/4"	4491	62 1/4"	5419	70 1/4"	6340	78 1/4"	7230	86 1/4"	8065	94 1/4"	8817
46 3/8"	3592	54 3/8"	4505	62 3/8"	5434	70 3/8"	6354	78 3/8"	7244	86 3/8"	8077	94 3/8"	8828
46 1/2"	3606	54 1/2"	4519	62 1/2"	5448	70 1/2"	6369	78 1/2"	7257	86 1/2"	8089	94 1/2"	8839
46 5/8"	3620	54 5/8"	4534	62 5/8"	5463	70 5/8"	6383	78 5/8"	7271	86 5/8"	8102	94 5/8"	8850
46 3/4"	3634	54 3/4"	4548	62 3/4"	5477	70 3/4"	6397	78 3/4"	7284	86 3/4"	8114	94 3/4"	8861
46 7/8"	3648	54 7/8"	4563	62 7/8"	5492	70 7/8"	6411	78 7/8"	7298	86 7/8"	8127	94 7/8"	8872
47"	3662	55"	4577	63"	5506	71"	7425	79"	7311	87"	8139	95"	8883
47 1/8"	3677	55 1/8"	4592	63 1/8"	5521	71 1/8"	6439	79 1/8"	7325	87 1/8"	8151	95 1/8"	8893
47 1/4"	3691	55 1/4"	4606	63 1/4"	5535	71 1/4"	6454	79 1/4"	7338	87 1/4"	8164	95 1/4"	8904
47 3/8"	3705	55 3/8"	4621	63 3/8"	5550	71 3/8"	6468	79 3/8"	7351	87 3/8"	8176	95 3/8"	8915
47 1/2"	3719	55 1/2"	4635	63 1/2"	5564	71 1/2"	6482	79 1/2"	7365	87 1/2"	8188	95 1/2"	8926
47 5/8"	3733	55 5/8"	4650	63 5/8"	5578	71 5/8"	6496	79 5/8"	7378	87 5/8"	8201	95 5/8"	8936
47 3/4"	3747	55 3/4"	4664	63 3/4"	5593	71 3/4"	6510	79 3/4"	7392	87 3/4"	8213	95 3/4"	8947
47 7/8"	3761	55 7/8"	4679	63 7/8"	5607	71 7/8"	6524	79 7/8"	7405	87 7/8"	8225	95 7/8"	8958
48"	3775	56"	4693	64"	5622	72"	6538	80"	7418	88"	8237	96"	8968

Model: DWT-Type II 10,000 Gallon Tank (10 Ft. Diameter)

(Actual Capacity 10,257)

Dipstick	Gallons	Dipstick	Gallons	Dipstick	Gallons
96 ¹ / ₈ "	8979	104 ¹ / ₈ "	9590	112 ¹ / ₈ "	10043
96 ¹ / ₄ "	8989	104 ¹ / ₄ "	9598	112 ¹ / ₄ "	10048
96 ³ / ₈ "	9000	104 ³ / ₈ "	9606	112 ³ / ₈ "	10054
96 ¹ / ₂ "	9010	104 ¹ / ₂ "	9615	112 ¹ / ₂ "	10059
96 ⁵ / ₈ "	9021	104 ⁵ / ₈ "	9623	112 ⁵ / ₈ "	10064
96 ³ / ₄ "	9031	104 ³ / ₄ "	9631	112 ³ / ₄ "	10070
96 ⁷ / ₈ "	9042	104 ⁷ / ₈ "	9640	112 ⁷ / ₈ "	10075
97"	9052	105"	9648	113"	10080
97 ¹ / ₈ "	9062	105 ¹ / ₈ "	9656	113 ¹ / ₈ "	10085
97 ¹ / ₄ "	9073	105 ¹ / ₄ "	9664	113 ¹ / ₄ "	10090
97 ³ / ₈ "	9083	105 ³ / ₈ "	9672	113 ³ / ₈ "	10095
97 ¹ / ₂ "	9093	105 ¹ / ₂ "	9680	113 ¹ / ₂ "	10100
97 ⁵ / ₈ "	9103	105 ⁵ / ₈ "	9688	113 ⁵ / ₈ "	10105
97 ³ / ₄ "	9114	105 ³ / ₄ "	9696	113 ³ / ₄ "	10110
97 ⁷ / ₈ "	9124	105 ⁷ / ₈ "	9704	113 ⁷ / ₈ "	10115
98"	9134	106"	9712	114"	10120
98 ¹ / ₈ "	9144	106 ¹ / ₈ "	9720	114 ¹ / ₈ "	10124
98 ¹ / ₄ "	9154	106 ¹ / ₄ "	9727	114 ¹ / ₄ "	10129
98 ³ / ₈ "	9164	106 ³ / ₈ "	9735	114 ³ / ₈ "	10134
98 ¹ / ₂ "	9174	106 ¹ / ₂ "	9743	114 ¹ / ₂ "	10139
98 ⁵ / ₈ "	9184	106 ⁵ / ₈ "	9750	114 ⁵ / ₈ "	10142
98 ³ / ₄ "	9194	106 ³ / ₄ "	9758	114 ³ / ₄ "	10147
98 ⁷ / ₈ "	9204	106 ⁷ / ₈ "	9766	114 ⁷ / ₈ "	10151
99"	9214	107"	9773	115"	10155
99 ¹ / ₈ "	9224	107 ¹ / ₈ "	9781	115 ¹ / ₈ "	10160
99 ¹ / ₄ "	9233	107 ¹ / ₄ "	9788	115 ¹ / ₄ "	10164
99 ³ / ₈ "	9243	107 ³ / ₈ "	9796	115 ³ / ₈ "	10168
99 ¹ / ₂ "	9253	107 ¹ / ₂ "	9803	115 ¹ / ₂ "	10172
99 ⁵ / ₈ "	9263	107 ⁵ / ₈ "	9810	115 ⁵ / ₈ "	10176
99 ³ / ₄ "	9272	107 ³ / ₄ "	9817	115 ³ / ₄ "	10179
99 ⁷ / ₈ "	9282	107 ⁷ / ₈ "	9825	115 ⁷ / ₈ "	10183
100"	9292	108"	9832	116"	10187
100 ¹ / ₈ "	9301	108 ¹ / ₈ "	9839	116 ¹ / ₈ "	10191
100 ¹ / ₄ "	9311	108 ¹ / ₄ "	9846	116 ¹ / ₄ "	10194
100 ³ / ₈ "	9320	108 ³ / ₈ "	9853	116 ³ / ₈ "	10198
100 ¹ / ₂ "	9330	108 ¹ / ₂ "	9860	116 ¹ / ₂ "	10201
100 ⁵ / ₈ "	9339	108 ⁵ / ₈ "	9867	116 ⁵ / ₈ "	10204
100 ³ / ₄ "	9349	108 ³ / ₄ "	9874	116 ³ / ₄ "	10208
100 ⁷ / ₈ "	9358	108 ⁷ / ₈ "	9881	116 ⁷ / ₈ "	10211
101"	9367	109"	9888	117"	10214
101 ¹ / ₈ "	9377	109 ¹ / ₈ "	9894	117 ¹ / ₈ "	10217
101 ¹ / ₄ "	9386	109 ¹ / ₄ "	9901	117 ¹ / ₄ "	10220
101 ³ / ₈ "	9395	109 ³ / ₈ "	9908	117 ³ / ₈ "	10223
101 ¹ / ₂ "	9404	109 ¹ / ₂ "	9915	117 ¹ / ₂ "	10226
101 ⁵ / ₈ "	9414	109 ⁵ / ₈ "	9921	117 ⁵ / ₈ "	10228
101 ³ / ₄ "	9423	109 ³ / ₄ "	9928	117 ³ / ₄ "	10231
101 ⁷ / ₈ "	9432	109 ⁷ / ₈ "	9934	117 ⁷ / ₈ "	10233
102"	9441	110"	9941	118"	10236
102 ¹ / ₈ "	9450	110 ¹ / ₈ "	9947	118 ¹ / ₈ "	10238
102 ¹ / ₄ "	9459	110 ¹ / ₄ "	9953	118 ¹ / ₄ "	10240
102 ³ / ₈ "	9468	110 ³ / ₈ "	9960	118 ³ / ₈ "	10242
102 ¹ / ₂ "	9477	110 ¹ / ₂ "	9966	118 ¹ / ₂ "	10244
102 ⁵ / ₈ "	9486	110 ⁵ / ₈ "	9972	118 ⁵ / ₈ "	10246
102 ³ / ₄ "	9495	110 ³ / ₄ "	9978	118 ³ / ₄ "	10248
102 ⁷ / ₈ "	9503	110 ⁷ / ₈ "	9984	118 ⁷ / ₈ "	10250
103"	9512	111"	9990	119"	10251
103 ¹ / ₈ "	9521	111 ¹ / ₈ "	9996	119 ¹ / ₈ "	10253
103 ¹ / ₄ "	9530	111 ¹ / ₄ "	10002	119 ¹ / ₄ "	10254
103 ³ / ₈ "	9538	111 ³ / ₈ "	10008	119 ³ / ₈ "	10255
103 ¹ / ₂ "	9547	111 ¹ / ₂ "	10014	119 ¹ / ₂ "	10256
103 ⁵ / ₈ "	9556	111 ⁵ / ₈ "	10020	120"	10257
103 ³ / ₄ "	9564	111 ³ / ₄ "	10026		
103 ⁷ / ₈ "	9573	111 ⁷ / ₈ "	10031		
104"	9581	112"	10037		