

Model: DWT-2
12,000 Gallon Tanks (10 Ft. Diameter) (Actual Capacity 11,995)

Dipstick	Gallons	Dipstick	Gallons	Dipstick	Gallons	Dipstick	Gallons	Dipstick	Gallons
3/8"	3	8 1/8"	302	16 1/8"	861	24 1/8"	1595	32 1/8"	2459
1/2"	4	8 1/4"	309	16 1/4"	871	24 1/4"	1608	32 1/4"	2474
5/8"	5	8 1/2"	316	16 1/2"	882	24 1/2"	1620	32 1/2"	2488
7/8"	7	8 3/8"	323	16 3/8"	892	24 3/8"	1633	32 3/8"	2502
1"	9	8 3/4"	331	16 3/4"	902	24 3/4"	1646	32 3/4"	2517
1 1/8"	11	8 7/8"	338	16 7/8"	913	24 7/8"	1658	32 7/8"	2531
1 1/4"	13	8 15/16"	345	16 15/16"	923	24 15/16"	1671	32 15/16"	2546
1 1/2"	16	9"	353	17"	934	25"	1684	33"	2560
1 5/8"	18	9 1/8"	360	17 1/8"	944	25 1/8"	1697	33 1/8"	2575
1 3/4"	21	9 1/4"	368	17 1/4"	955	25 1/4"	1710	33 1/4"	2589
1 7/8"	24	9 1/2"	375	17 1/2"	966	25 1/2"	1723	33 1/2"	2604
2"	27	9 3/8"	383	17 3/8"	976	25 3/8"	1735	33 3/8"	2618
2 1/8"	29	9 3/4"	391	17 3/4"	987	25 3/4"	1748	33 3/4"	2633
2 1/4"	33	9 7/8"	399	17 7/8"	998	25 7/8"	1761	33 7/8"	2648
2 1/2"	36	9 15/16"	406	17 15/16"	1009	25 15/16"	1774	33 15/16"	2662
2 3/4"	39	10"	414	18"	1019	26"	1787	34"	2677
2 7/8"	42	10 1/8"	422	18 1/8"	1030	26 1/8"	1800	34 1/8"	2692
3"	46	10 1/4"	430	18 1/4"	1041	26 1/4"	1814	34 1/4"	2706
3 1/8"	50	10 1/2"	438	18 1/2"	1052	26 1/2"	1827	34 1/2"	2721
3 1/4"	53	10 3/8"	446	18 3/8"	1062	26 3/8"	1840	34 3/8"	2736
3 1/2"	57	10 3/4"	454	18 3/4"	1074	26 3/4"	1853	34 3/4"	2751
3 3/4"	61	10 7/8"	463	18 7/8"	1085	26 7/8"	1866	34 7/8"	2765
3 7/8"	65	10 15/16"	471	18 15/16"	1096	26 15/16"	1879	34 15/16"	2780
4"	69	11"	479	19"	1107	27"	1893	35"	2795
4 1/8"	73	11 1/8"	489	19 1/8"	1119	27 1/8"	1906	35 1/8"	2810
4 1/4"	78	11 1/4"	496	19 1/4"	1130	27 1/4"	1919	35 1/4"	2825
4 1/2"	82	11 1/2"	504	19 1/2"	1141	27 1/2"	1933	35 1/2"	2840
4 3/4"	86	11 3/8"	513	19 3/8"	1152	27 3/8"	1946	35 3/8"	2854
4 7/8"	91	11 3/4"	521	19 3/4"	1164	27 3/4"	1959	35 3/4"	2869
5"	95	11 7/8"	530	19 7/8"	1175	27 7/8"	1973	35 7/8"	2884
5 1/8"	100	11 15/16"	539	19 15/16"	1187	27 15/16"	1986	35 15/16"	2899
5 1/4"	105	12"	547	20"	1198	28"	2000	36"	2914
5 1/2"	110	12 1/8"	556	20 1/8"	1209	28 1/8"	2013	36 1/8"	2929
5 3/4"	115	12 1/4"	565	20 1/4"	1221	28 1/4"	2027	36 1/4"	2944
5 7/8"	120	12 1/2"	574	20 1/2"	1233	28 1/2"	2040	36 1/2"	2959
6"	125	12 3/8"	583	20 3/8"	1244	28 3/8"	2054	36 3/8"	2974
6 1/8"	130	12 3/4"	592	20 3/4"	1256	28 3/4"	2068	36 3/4"	2990
6 1/4"	135	12 7/8"	601	20 7/8"	1267	28 7/8"	2081	36 7/8"	3005
6 1/2"	140	12 15/16"	610	20 15/16"	1279	28 15/16"	2095	36 15/16"	3020
6 3/4"	146	13"	619	21"	1291	29"	2109	37"	3035
6 7/8"	151	13 1/8"	628	21 1/8"	1303	29 1/8"	2122	37 1/8"	3050
7"	157	13 1/4"	637	21 1/4"	1314	29 1/4"	2136	37 1/4"	3065
7 1/8"	162	13 1/2"	646	21 1/2"	1326	29 1/2"	2150	37 1/2"	3080
7 1/4"	168	13 3/8"	656	21 3/8"	1338	29 3/8"	2164	37 3/8"	3096
7 1/2"	174	13 3/4"	665	21 3/4"	1350	29 3/4"	2177	37 3/4"	3111
7 3/4"	179	13 7/8"	674	21 7/8"	1362	29 7/8"	2191	37 7/8"	3126
7 7/8"	185	13 15/16"	684	21 15/16"	1374	29 15/16"	2205	37 15/16"	3141
8"	191	14"	693	22"	1386	30"	2219	38"	3157
8 1/8"	197	14 1/8"	703	22 1/8"	1398	30 1/8"	2233	38 1/8"	3172
8 1/4"	203	14 1/4"	712	22 1/4"	1410	30 1/4"	2247	38 1/4"	3187
8 1/2"	209	14 1/2"	722	22 1/2"	1422	30 1/2"	2261	38 1/2"	3203
8 3/4"	216	14 3/8"	732	22 3/8"	1434	30 3/8"	2275	38 3/8"	3218
8 7/8"	222	14 3/4"	741	22 3/4"	1446	30 3/4"	2289	38 3/4"	3233
9"	228	14 7/8"	751	22 7/8"	1459	30 7/8"	2303	38 7/8"	3249
9 1/8"	235	14 15/16"	761	22 15/16"	1471	30 15/16"	2317	38 15/16"	3264
9 1/4"	241	15"	771	23"	1483	31"	2331	39"	3280
9 1/2"	248	15 1/8"	781	23 1/8"	1495	31 1/8"	2345	39 1/8"	3295
9 3/4"	254	15 1/4"	791	23 1/4"	1508	31 1/4"	2360	39 1/4"	3311
9 7/8"	261	15 1/2"	801	23 1/2"	1520	31 1/2"	2374	39 1/2"	3326
10"	268	15 3/8"	811	23 3/8"	1533	31 3/8"	2389	39 3/8"	3342
10 1/8"	274	15 3/4"	821	23 3/4"	1545	31 3/4"	2402	39 3/4"	3357
10 1/4"	281	15 7/8"	831	23 7/8"	1558	31 7/8"	2416	39 7/8"	3373
10 1/2"	288	15 15/16"	841	23 15/16"	1570	31 15/16"	2431	39 15/16"	3388
10 3/4"	295	16"	851	24"	1583	32"	2445	40"	3404

Fiberglass® Tanks for Fuel Storage

Calibration Chart*

How to properly gauge your tank:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

1. Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
2. Always gauge your tank at the fill port. A tank bottom protector plate has been installed under this port to help protect the tank.
3. Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
4. Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

WATER FINDER
 #7686-1870
 DAYCO/NATIONAL
 Dayton, OH
 (513) 226-5879

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overflow shut-off equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

The annular space capacity for this tank is 830 gallons.



*Calibration for Level Tanks Only

Model: DWT-2P 12,000 Gallon Tanks (10 Ft. Diameter)

(Actual Capacity 11,995)

Dipstick	Gallons	Dipstick	Gallons	Dipstick	Gallons	Dipstick	Gallons	Dipstick	Gallons	Dipstick	Gallons	Dipstick	Gallons
40 1/8"	3419	48 1/8"	4445	56 1/8"	5510	64 1/8"	6586	72 1/8"	7648	80 1/8"	8669	88 1/8"	9621
40 1/4"	3435	48 1/4"	4462	56 1/4"	5527	64 1/4"	6603	72 1/4"	7664	80 1/4"	8685	88 1/4"	9636
40 3/8"	3451	48 3/8"	4478	56 3/8"	5543	64 3/8"	6620	72 3/8"	7681	80 3/8"	8700	88 3/8"	9660
40 1/2"	3466	48 1/2"	4495	56 1/2"	5560	64 1/2"	6636	72 1/2"	7697	80 1/2"	8715	88 1/2"	9664
40 5/8"	3482	48 5/8"	4511	56 5/8"	5577	64 5/8"	6653	72 5/8"	7713	80 5/8"	8731	88 5/8"	9678
40 3/4"	3498	48 3/4"	4528	56 3/4"	5594	64 3/4"	6670	72 3/4"	7730	80 3/4"	8746	88 3/4"	9692
40 7/8"	3513	48 7/8"	4544	56 7/8"	5611	64 7/8"	6687	72 7/8"	7746	80 7/8"	8762	88 7/8"	9706
41"	3529	49"	4560	57"	5627	65"	6703	73"	7762	81"	8777	89"	9720
41 1/8"	3545	49 1/8"	4577	57 1/8"	5644	65 1/8"	6720	73 1/8"	7778	81 1/8"	8792	89 1/8"	9734
41 1/4"	3560	49 1/4"	4593	57 1/4"	5661	65 1/4"	6737	73 1/4"	7795	81 1/4"	8808	89 1/4"	9748
41 3/8"	3576	49 3/8"	4610	57 3/8"	5678	65 3/8"	6754	73 3/8"	7811	81 3/8"	8823	89 3/8"	9762
41 1/2"	3592	49 1/2"	4626	57 1/2"	5695	65 1/2"	6770	73 1/2"	7827	81 1/2"	8838	89 1/2"	9776
41 5/8"	3608	49 5/8"	4643	57 5/8"	5711	65 5/8"	6787	73 5/8"	7843	81 5/8"	8854	89 5/8"	9790
41 3/4"	3623	49 3/4"	4659	57 3/4"	5728	65 3/4"	6804	73 3/4"	7860	81 3/4"	8869	89 3/4"	9804
41 7/8"	3639	49 7/8"	4676	57 7/8"	5745	65 7/8"	6821	73 7/8"	7876	81 7/8"	8884	89 7/8"	9818
42"	3655	50"	4692	58"	5762	66"	6837	74"	7892	82"	8899	90"	9832
42 1/8"	3671	50 1/8"	4709	58 1/8"	5779	66 1/8"	6854	74 1/8"	7908	82 1/8"	8915	90 1/8"	9846
42 1/4"	3687	50 1/4"	4725	58 1/4"	5796	66 1/4"	6871	74 1/4"	7924	82 1/4"	8930	90 1/4"	9859
42 3/8"	3702	50 3/8"	4742	58 3/8"	5812	66 3/8"	6887	74 3/8"	7940	82 3/8"	8945	90 3/8"	9873
42 1/2"	3718	50 1/2"	4759	58 1/2"	5829	66 1/2"	6904	74 1/2"	7957	82 1/2"	8960	90 1/2"	9887
42 5/8"	3734	50 5/8"	4775	58 5/8"	5846	66 5/8"	6921	74 5/8"	7973	82 5/8"	8975	90 5/8"	9900
42 3/4"	3750	50 3/4"	4792	58 3/4"	5863	66 3/4"	6937	74 3/4"	7989	82 3/4"	8991	90 3/4"	9914
42 7/8"	3766	50 7/8"	4808	58 7/8"	5880	66 7/8"	6954	74 7/8"	8005	82 7/8"	9006	90 7/8"	9928
43"	3782	51"	4825	59"	5897	67"	6971	75"	8021	83"	9021	91"	9941
43 1/8"	3798	51 1/8"	4841	59 1/8"	5913	67 1/8"	6987	75 1/8"	8037	83 1/8"	9036	91 1/8"	9955
43 1/4"	3814	51 1/4"	4858	59 1/4"	5930	67 1/4"	7004	75 1/4"	8053	83 1/4"	9051	91 1/4"	9968
43 3/8"	3830	51 3/8"	4875	59 3/8"	5947	67 3/8"	7021	75 3/8"	8069	83 3/8"	9066	91 3/8"	9982
43 1/2"	3846	51 1/2"	4891	59 1/2"	5964	67 1/2"	7037	75 1/2"	8085	83 1/2"	9081	91 1/2"	9995
43 5/8"	3862	51 5/8"	4908	59 5/8"	5981	67 5/8"	7054	75 5/8"	8101	83 5/8"	9096	91 5/8"	10009
43 3/4"	3878	51 3/4"	4925	59 3/4"	5998	67 3/4"	7071	75 3/4"	8117	83 3/4"	9111	91 3/4"	10022
43 7/8"	3894	51 7/8"	4941	59 7/8"	6014	67 7/8"	7087	75 7/8"	8133	83 7/8"	9126	91 7/8"	10036
44"	3910	52"	4958	60"	6031	68"	7104	76"	8149	84"	9141	92"	10049
44 1/8"	3926	52 1/8"	4974	60 1/8"	6048	68 1/8"	7120	76 1/8"	8165	84 1/8"	9156	92 1/8"	10063
44 1/4"	3942	52 1/4"	4991	60 1/4"	6065	68 1/4"	7137	76 1/4"	8181	84 1/4"	9171	92 1/4"	10076
44 3/8"	3958	52 3/8"	5008	60 3/8"	6082	68 3/8"	7154	76 3/8"	8197	84 3/8"	9185	92 3/8"	10089
44 1/2"	3974	52 1/2"	5024	60 1/2"	6099	68 1/2"	7170	76 1/2"	8213	84 1/2"	9200	92 1/2"	10103
44 5/8"	3990	52 5/8"	5041	60 5/8"	6115	68 5/8"	7187	76 5/8"	8229	84 5/8"	9215	92 5/8"	10116
44 3/4"	4006	52 3/4"	5058	60 3/4"	6132	68 3/4"	7203	76 3/4"	8245	84 3/4"	9230	92 3/4"	10129
44 7/8"	4022	52 7/8"	5074	60 7/8"	6149	68 7/8"	7220	76 7/8"	8261	84 7/8"	9245	92 7/8"	10142
45"	4039	53"	5091	61"	6166	69"	7237	77"	8277	85"	9259	93"	10155
45 1/8"	4055	53 1/8"	5108	61 1/8"	6183	69 1/8"	7253	77 1/8"	8293	85 1/8"	9274	93 1/8"	10169
45 1/4"	4071	53 1/4"	5125	61 1/4"	6200	69 1/4"	7270	77 1/4"	8309	85 1/4"	9289	93 1/4"	10182
45 3/8"	4087	53 3/8"	5141	61 3/8"	6216	69 3/8"	7286	77 3/8"	8324	85 3/8"	9304	93 3/8"	10195
45 1/2"	4103	53 1/2"	5158	61 1/2"	6233	69 1/2"	7303	77 1/2"	8340	85 1/2"	9318	93 1/2"	10208
45 5/8"	4119	53 5/8"	5175	61 5/8"	6250	69 5/8"	7319	77 5/8"	8356	85 5/8"	9333	93 5/8"	10221
45 3/4"	4136	53 3/4"	5191	61 3/4"	6267	69 3/4"	7336	77 3/4"	8372	85 3/4"	9348	93 3/4"	10234
45 7/8"	4152	53 7/8"	5208	61 7/8"	6284	69 7/8"	7352	77 7/8"	8388	85 7/8"	9362	93 7/8"	10247
46"	4168	54"	5225	62"	6300	70"	7369	78"	8403	86"	9377	94"	10260
46 1/8"	4184	54 1/8"	5242	62 1/8"	6317	70 1/8"	7385	78 1/8"	8419	86 1/8"	9391	94 1/8"	10273
46 1/4"	4200	54 1/4"	5258	62 1/4"	6334	70 1/4"	7402	78 1/4"	8435	86 1/4"	9406	94 1/4"	10286
46 3/8"	4217	54 3/8"	5275	62 3/8"	6351	70 3/8"	7418	78 3/8"	8451	86 3/8"	9420	94 3/8"	10298
46 1/2"	4233	54 1/2"	5292	62 1/2"	6368	70 1/2"	7435	78 1/2"	8466	86 1/2"	9435	94 1/2"	10311
46 5/8"	4249	54 5/8"	5309	62 5/8"	6385	70 5/8"	7451	78 5/8"	8482	86 5/8"	9449	94 5/8"	10324
46 3/4"	4265	54 3/4"	5325	62 3/4"	6401	70 3/4"	7468	78 3/4"	8498	86 3/4"	9464	94 3/4"	10337
46 7/8"	4282	54 7/8"	5342	62 7/8"	6418	70 7/8"	7484	78 7/8"	8513	86 7/8"	9478	94 7/8"	10349
47"	4298	55"	5359	63"	6435	71"	7501	79"	8529	87"	9493	95"	10362
47 1/8"	4314	55 1/8"	5376	63 1/8"	6452	71 1/8"	7517	79 1/8"	8545	87 1/8"	9507	95 1/8"	10375
47 1/4"	4331	55 1/4"	5392	63 1/4"	6469	71 1/4"	7533	79 1/4"	8560	87 1/4"	9521	95 1/4"	10387
47 3/8"	4347	55 3/8"	5409	63 3/8"	6485	71 3/8"	7550	79 3/8"	8576	87 3/8"	9536	95 3/8"	10400
47 1/2"	4364	55 1/2"	5426	63 1/2"	6502	71 1/2"	7566	79 1/2"	8591	87 1/2"	9550	95 1/2"	10413
47 5/8"	4380	55 5/8"	5443	63 5/8"	6519	71 5/8"	7583	79 5/8"	8607	87 5/8"	9564	95 5/8"	10425
47 3/4"	4396	55 3/4"	5459	63 3/4"	6536	71 3/4"	7600	79 3/4"	8622	87 3/4"	9579	95 3/4"	10438
47 7/8"	4413	55 7/8"	5476	63 7/8"	6553	71 7/8"	7615	79 7/8"	8638	87 7/8"	9593	95 7/8"	10450
48"	4429	56"	5493	64"	6569	72"	7632	80"	8654	88"	9607	96"	10463

Model: DWT-2 12,000 Gallon Tanks (10 Ft. Diameter)

(Actual Capacity 11,995)

Dipstick	Gallons	Dipstick	Gallons	Dipstick	Gallons
96 ¹ / ₈ "	10475	104 ¹ / ₈ "	11195	112 ¹ / ₈ "	11734
96 ¹ / ₄ "	10487	104 ¹ / ₄ "	11205	112 ¹ / ₄ "	11741
96 ³ / ₈ "	10500	104 ³ / ₈ "	11215	112 ³ / ₈ "	11748
96 ¹ / ₂ "	10512	104 ¹ / ₂ "	11224	112 ¹ / ₂ "	11754
96 ⁵ / ₈ "	10524	104 ⁵ / ₈ "	11234	112 ⁵ / ₈ "	11761
96 ³ / ₄ "	10536	104 ³ / ₄ "	11244	112 ³ / ₄ "	11767
96 ⁷ / ₈ "	10549	104 ⁷ / ₈ "	11254	112 ⁷ / ₈ "	11773
97"	10561	105"	11263	113"	11780
97 ¹ / ₈ "	10573	105 ¹ / ₈ "	11273	113 ¹ / ₈ "	11786
97 ¹ / ₄ "	10585	105 ¹ / ₄ "	11283	113 ¹ / ₄ "	11792
97 ³ / ₈ "	10597	105 ³ / ₈ "	11292	113 ³ / ₈ "	11798
97 ¹ / ₂ "	10609	105 ¹ / ₂ "	11302	113 ¹ / ₂ "	11804
97 ⁵ / ₈ "	10621	105 ⁵ / ₈ "	11311	113 ⁵ / ₈ "	11810
97 ³ / ₄ "	10633	105 ³ / ₄ "	11321	113 ³ / ₄ "	11816
97 ⁷ / ₈ "	10645	105 ⁷ / ₈ "	11330	113 ⁷ / ₈ "	11822
98"	10657	106"	11339	114"	11827
98 ¹ / ₈ "	10669	106 ¹ / ₈ "	11349	114 ¹ / ₈ "	11833
98 ¹ / ₄ "	10681	106 ¹ / ₄ "	11358	114 ¹ / ₄ "	11839
98 ³ / ₈ "	10693	106 ³ / ₈ "	11367	114 ³ / ₈ "	11844
98 ¹ / ₂ "	10704	106 ¹ / ₂ "	11376	114 ¹ / ₂ "	11849
98 ⁵ / ₈ "	10716	106 ⁵ / ₈ "	11385	114 ⁵ / ₈ "	11855
98 ³ / ₄ "	10728	106 ³ / ₄ "	11394	114 ³ / ₄ "	11860
98 ⁷ / ₈ "	10739	106 ⁷ / ₈ "	11403	114 ⁷ / ₈ "	11865
99"	10751	107"	11412	115"	11871
99 ¹ / ₈ "	10763	107 ¹ / ₈ "	11421	115 ¹ / ₈ "	11876
99 ¹ / ₄ "	10774	107 ¹ / ₄ "	11430	115 ¹ / ₄ "	11881
99 ³ / ₈ "	10786	107 ³ / ₈ "	11439	115 ³ / ₈ "	11886
99 ¹ / ₂ "	10797	107 ¹ / ₂ "	11448	115 ¹ / ₂ "	11890
99 ⁵ / ₈ "	10809	107 ⁵ / ₈ "	11456	115 ⁵ / ₈ "	11895
99 ³ / ₄ "	10820	107 ³ / ₄ "	11465	115 ³ / ₄ "	11900
99 ⁷ / ₈ "	10831	107 ⁷ / ₈ "	11474	115 ⁷ / ₈ "	11904
100"	10843	108"	11482	116"	11909
100 ¹ / ₈ "	10854	108 ¹ / ₈ "	11491	116 ¹ / ₈ "	11913
100 ¹ / ₄ "	10865	108 ¹ / ₄ "	11499	116 ¹ / ₄ "	11918
100 ³ / ₈ "	10876	108 ³ / ₈ "	11508	116 ³ / ₈ "	11922
100 ¹ / ₂ "	10888	108 ¹ / ₂ "	11516	116 ¹ / ₂ "	11926
100 ⁵ / ₈ "	10899	108 ⁵ / ₈ "	11524	116 ⁵ / ₈ "	11930
100 ³ / ₄ "	10910	108 ³ / ₄ "	11532	116 ³ / ₄ "	11934
100 ⁷ / ₈ "	10921	108 ⁷ / ₈ "	11541	116 ⁷ / ₈ "	11938
101"	10932	109"	11549	117"	11942
101 ¹ / ₈ "	10943	109 ¹ / ₈ "	11557	117 ¹ / ₈ "	11946
101 ¹ / ₄ "	10954	109 ¹ / ₄ "	11565	117 ¹ / ₄ "	11949
101 ³ / ₈ "	10965	109 ³ / ₈ "	11573	117 ³ / ₈ "	11953
101 ¹ / ₂ "	10976	109 ¹ / ₂ "	11581	117 ¹ / ₂ "	11956
101 ⁵ / ₈ "	10987	109 ⁵ / ₈ "	11589	117 ⁵ / ₈ "	11959
101 ³ / ₄ "	10997	109 ³ / ₄ "	11597	117 ³ / ₄ "	11963
101 ⁷ / ₈ "	11008	109 ⁷ / ₈ "	11604	117 ⁷ / ₈ "	11966
102"	11019	110"	11612	118"	11969
102 ¹ / ₈ "	11030	110 ¹ / ₈ "	11620	118 ¹ / ₈ "	11972
102 ¹ / ₄ "	11040	110 ¹ / ₄ "	11627	118 ¹ / ₄ "	11974
102 ³ / ₈ "	11051	110 ³ / ₈ "	11635	118 ³ / ₈ "	11977
102 ¹ / ₂ "	11061	110 ¹ / ₂ "	11642	118 ¹ / ₂ "	11979
102 ⁵ / ₈ "	11072	110 ⁵ / ₈ "	11650	118 ⁵ / ₈ "	11982
102 ³ / ₄ "	11082	110 ³ / ₄ "	11657	118 ³ / ₄ "	11984
102 ⁷ / ₈ "	11093	110 ⁷ / ₈ "	11664	118 ⁷ / ₈ "	11986
103"	11103	111"	11672	119"	11988
103 ¹ / ₈ "	11113	111 ¹ / ₈ "	11679	119 ¹ / ₈ "	11990
103 ¹ / ₄ "	11124	111 ¹ / ₄ "	11686	119 ¹ / ₄ "	11991
103 ³ / ₈ "	11134	111 ³ / ₈ "	11693	119 ³ / ₈ "	11993
103 ¹ / ₂ "	11144	111 ¹ / ₂ "	11700	119 ¹ / ₂ "	11994
103 ⁵ / ₈ "	11154	111 ⁵ / ₈ "	11707	120"	11995
103 ³ / ₄ "	11165	111 ³ / ₄ "	11714		
103 ⁷ / ₈ "	11175	111 ⁷ / ₈ "	11721		
104"	11185	112"	11728		